ELCP2.01.25.17

GENERAL DESCRIPTION

ELC converts any LED luminaire operating from normal AC or 24VDC power, to emergency lighting operation powered from a Signtex central battery system. Constant power output is factory adjustable to optimize emergency illumination level and fixtures may be on, off, switched or dimmed in normal mode without affecting emergency operation. General lighting fixtures with ELC may be combined with MOONLITE LED™ emergency luminaires and exits in the central battery system, as required.

Typical applications for Type P2 may include 2×2 or 2×4 LED flat panel or other lay-in designs, with normal power ranging from 10W to 70 watts or more.

All Signtex central battery systems Series CBL and CBM include fully automatic self-test, self-diagnostics. Series CBM includes the MARS™ Monitoring and Reporting System which provides cloud-based internet communication and fault reports delivered automatically via email for all components of the emergency system.

CONSTRUCTION & OPERATION

- Factory or field installable in the Fire and Electrical Enclosure of listed fixtures.
- Normal lighting operation is not affected by ELC operation.
- Compatible with all types of dimming and lighting controls.
- Standard mount= Hi temp VHB DF tape and flange for screw mount

ELECTRICAL

- Input 24 VDC.
- Constant emergency power output is factory adjustable from 5W to 20W.
- Output voltage auto sensing range up to 54V.
- Adjustable emergency lumen output allows optimum settings for any fixture to equal or exceed requirements of NEC and NFPA 101 codes for varying mounting heights and other conditions.
- Available for LED fixtures operating from 10W to 70W or higher in normal mode.
- Optional DC models available for compatible LED fixtures operating from 24VDC normal power.
- High Efficiency, 90%@24VDC input.
- OVP, SCP, OTP Protections.

CODES

• UL Listed in compliance with UL Standard 924 and CAN/ CSA C22.2 No. 141-15 for field or factory installation in Fire and Electrical Enclosure. All Signtex Central Battery Systems and

FIXTURE SCHEDULE

TIXTOTE COTTEBULE		
MODEL	CATALOG NO	
APPROVAL	JOB INFORMATION	











Low Voltage Emergency Circuits





Warehouse







SUGGESTED SPECIFICATIONS:

ELCP2.01.25.17

Supply and install Signtex Emergency Lighting Control Series ELC which shall be capable of operating a LED general lighting fixture in emergency mode for a minimum of 90 minutes following failure of the normal power supply to the fixture, when connected to a Signtex DC Central Battery System.

ELECTRICAL SPECIFICATIONS

Driver current is settable at the factory, to produce the output voltage and power ranges given below in Table 1.

Emergency power output (EPR) is adjustable through the range given below. Power should be specified to ensure illumination on the path of egress complies with NFPA Life Safety Code101, based on photometric data and efficacy for the fixture in use. To determine compatibility of ELC devices and output power required for specific applications, See ELC SPECIFICATION GUIDE.

PRODUCT DATA

INPUT DATA:

Operating Voltage: 19~27V

Under Voltage Protect Turn OFF: 18V

Under Voltage Recover: 20V

Over Voltage Protect Turn OFF: 30V

Over Voltage Recover: 28V DC Current (24V INPUT): 1 A

Inrush current: 2A (COLD START, VIN=24V, 20W)

OUTPUT DATA:

CONSTANT CURRENT OUTPUT

TABLE 1: OUTPUT VOLTAGE & CURRENT

OPTION CODE	OUTPUT VOLTAGE ¹ (VDC)	OUTPUT CURRENT ² (mA)	MAX. OUTPUT POWER ³ (W)
NONE	12-54	40-275	15
V1	27-54	100-400	20
V2	5-41	50-350	14
V3	5-22	300-1000	22

- 1. Automatic Output Voltage sensing
- 2.Output Current is factory adjustable
- 3.See ELC SPECIFICATION GUIDE to estimate value required


OPERATING TEMPERATURE:

Max Ambient Temperature (Ta) 65°C Max Case Temperature (Tc) 80°C


NOTE:

- All specifications measured at 25°C.
- If LED arrays include current regulation circuits, contact factory to confirm ELC is compatible.

STANDARD MOUNT: VOLUME 5.0 CU INCH



OPTION: V2 & V3



ORDERING INFORMATION: Example: ELC14P2-40W20-V2

MODEL SERIES ELC 14
EMERGENCY
POWER
WATTS

X Watts¹

P2
PACKAGE
TYPE
P2

-40W
FIXTURE
NORMAL
POWER WATTS

XW= X Watts

20

NORMAL DRIVER
MAX OUTPUT
VOLTS

X Volts DC

-V2 OPTIONS V1 = 27- 54V V2 = 5 - 41V V3 = 5 - 22V

¹ Based on lumen output required



DISTRIBUTOR: